


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
DF	DO	H1	REVISED PER ECO-11-005030	11MAR11	RK	HMR	



- THIS PART CONFORMS TO REQUIREMENTS FOR DANIELS CRIMP TOOL NO. M300-BT, WITH DANIELS POSITIONER PART NO. SP689, STRIP LENGTH .375, SETTING #1.
- MATES WITH 212007-1 IN AMPLIMITE CONNECTOR ASSEMBLIES ONLY.
- 3** FINISH: PLATED GOLD .000050 [0.00127] MIN THK PER MIL-G-45204 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.
- 4** FINISH: PLATED GOLD .000030 [0.00076] MIN THK PER MIL-G-45204 OVER NICKEL .000050 [0.00127] MIN THK PER QQ-N-290.
- WIRE BARREL WILL ACCEPT #12-#14 AWG WIRE.

PRELIMINARY NOT RELEASED FOR PRODUCTION	<b>4</b>	212008-2
	<b>3</b>	212008-1
	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.C.THOMAS	11/10/00	<b>TE</b> TE Connectivity		
DIMENSIONS: INCHES[MM]		CHK	D.MILLER	11/10/00			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	D.MILLER	11/10/00	NAME		
0 PLC ± -		PRODUCT SPEC		108-10045			
1 PLC ± -		APPLICATION SPEC		114-10014			
2 PLC ± -		WEIGHT		-			
3 PLC ± .005 [0.13]		SIZE		A2	CAGE CODE	00779	DRAWING NO
4 PLC ± -		MATERIAL		SEE CALLOUTS			
ANGLES ± -		FINISH		SEE TABLE			
FINISH		CUSTOMER DRAWING		SCALE		10:1	SHEET
						1	OF 1
						REV	H1